



True RMS AC Voltage/Current Datalogger

Datalog up to 100,000 readings

With user programmable sample rate from 1 second to 24 hours

Features:

- Measure True RMS AC Voltage (600V) or Current (200A)
- · Readings can be downloaded to your PC via the USB interface and analyzed using the included software or exported to a spreadsheet
- High/Low user-settable alarms
- LCD indicates time/date, current readings, Min/Max, and whether alarm settings have been exceeded
- Normal, Peak and Capture (user-specified trigger level) recording modes
- Auto Power off and battery check
- Complete with current clamp, test leads, USB cable, Windows® compatible software, universal AC Adaptor, and 3.6V Lithium battery





Function		Range	Resolution	Basic Accuracy
AC Currer	nt :	2 to 200A	0.1A	\pm (2% rdg \pm 1A)
AC Voltage	е	6 to 600V	0.1V	\pm (1.5% rdg \pm 1V)
Memory		100,000 points		
Sampling	Rate	1 second to 24 hours		
PC Interfa	ce	USB includes software		
Power		3.6V Lithium battery		
Dimension	nensions 4.5 x 2.5 x 1.3" (114 x 63 x 34mm)			
Weight		8.7oz (248g)		

Ordering Information (Available Q4 2009):

DL150True RMS AC Voltage/Current Datalogger

